

- 1 1. A method of searching a collection of linked objects and displaying the results,  
2 comprising:  
3 acquiring a search group of heterogeneously typed objects, wherein at least one of  
4 the objects comprises a link to another object;  
5 determining for at least a portion of the objects in the search group a set of targets  
6 of links from the objects, including determining whether the link targets  
7 are inside the search group; and  
8 displaying a representation of at least one searched object, the representation  
9 having at least one display attribute determined by the set of link targets.
- 10 2. A method of searching a collection of linked objects and displaying the results,  
11 comprising:  
12 acquiring a search group of objects, wherein at least one of the objects comprises  
13 a link to another object;  
14 determining for at least a portion of the objects in the search group a set of targets  
15 of links from the objects, including determining whether the link targets  
16 are inside the search group; and  
17 displaying a representation of at least one searched object, the representation  
18 having at least one display attribute determined by the set of link targets,  
19 wherein displayed representations are arranged into a plurality of display layers,  
20 and wherein the display layers can be independently hidden or displayed.
- 21 3. The method of claim 1 or 2, wherein the display attribute is selected from the  
22 group consisting of color, shape, size, position, highlighting, graphical flags, and  
23 labeling text.
- 24 4. The method of claim 1 or 2, wherein representations of a plurality of objects are  
25 displayed on a graph.

- 1 5. The method of claim 1 or 2, wherein representations of a plurality of objects are  
2 displayed, and wherein at least one link between objects is depicted by a  
3 connector between the representations.
- 4 6. The method of claim 5, wherein a display attribute of the connector is determined  
5 by a property selected from the group consisting of the type of the linking object,  
6 the type of the link target, and the type of the link.
- 7 7. The method of claim 1 or 2, wherein a display attribute of the representation is  
8 determined by object metadata.
- 9 8. The method of claim 1 or 2, wherein determining link targets includes recursively  
10 determining targets of links of an expanded set of objects comprising the original  
11 search group and the objects linked to by the search group.
- 12 9. The method of claim 8, wherein the recursion level is in the range of 1-10.
- 13 10. The method of claim 1 or 2, wherein the search objects comprise documents  
14 selected from the group consisting of legal opinions, legal treatises, statutes,  
15 briefs, and law review articles.
- 16 11. The method of claim 1 or 2, wherein the search objects comprise scientific or  
17 medical writings, and wherein the links comprise citations to other scientific or  
18 medical writings.
- 19 12. The method of claim 1 or 2, wherein the search objects comprise patents and  
20 patent applications and the links comprise references to related patents and patent  
21 applications.
- 22 13. The method of claim 1 or 2, further comprising annotating at least one of the  
23 search objects.

- 1 14. The method of claim 1 or 2, wherein at least a portion of the searched objects and  
2 link targets are classified into a plurality of groups, further comprising setting a  
3 display attribute for all members of a group.
- 4 15. The method of claim 1 or 2, wherein displayed representations are sorted on at  
5 least one axis according to a property of the objects represented.
- 6 16. A method of searching a collection of objects and displaying the results,  
7 comprising:  
8 acquiring a first search group of objects;  
9 displaying a representation of at least a portion of the first search group of objects;  
10 and  
11 annotating one or more members of the first search group of objects, wherein  
12 annotations may be selectively displayed with the representation of the  
13 annotated objects.
- 14 17. The method of claim 16, further comprising:  
15 acquiring a second search group of objects; and  
16 displaying a representation of at least a portion of the second search group of  
17 objects, wherein displaying the representation of annotated objects that are  
18 members of both the first search group and the second search group  
19 includes selectively displaying annotations of the objects.
- 20 18. The method of claim 16, wherein the representations are displayed on a graph.
- 21 19. The method of claim 16, wherein the objects include links to other objects, and  
22 wherein at least a portion of the links are displayed as connectors between  
23 representations of the objects.
- 24 20. The method of claim 19, further comprising annotating one or more links.